

Lipstick with SiBrid® TM-081

Formula GCA1-19-3

Phase	Ingredient	INCI Name	% Wt./Wt.
A	Pigment	Pigment	7.50
A	Crystal® O	Ricinus Communis (Castor) Seed Oil	7.50
B	Schercemol® TISC	Triisostearyl Citrate	37.80
B	Ceraphyl® ODS	Octyldodecyl Stearate	10.80
B	Candelilla Wax	Euphoria Cerifera (Candelilla) Wax	7.60
B	Crystal® O	Ricinus Communis (Castor) Seed Oil	6.70
B	SiBrid® TM-081	Caprylyl Methicone	5.40
B	Microcrystalline Wax	Microcrystalline Wax SP19	3.80
B	Ozokerite 170D	Ozokerite	2.15
B		Antioxidants	q.s.
B		Preservatives	q.s.
C		Mica	8.00

Procedure:

- Disperse Phase A using a roller mill.
- Combine Phase B and heat to 80°C. Once melted, slowly stir under propeller blade.
- Add Phase A and continue stirring for 45 minutes or until dispersed.
- Add Phase C and stir until dispersed and desired pouring temperature is reached.
- Pour into mold.

Formula Courtesy of

