

TOTAL

67 Beaver Avenue Quincy Building, Suite 8 PO Box 412

> Annandale, NJ 08801 Phone: 908-238-0204 Fax: 908-235-4209

AFTER SUN MOISTURIZER FOR DRY SKIN

	PHASE	INGREDIENT	FUNCTION	% BY WEIGHT	BATCH SIZE 500.00
1.	Α	WATER	Diluent	64.65	323.25
2.	Α	DISODIUM EDTA	Chelating Agent	0.10	0.50
3.	Α	GLYCERETH-26	Moisturizer/ Humectant	2.50	12.50
4.	Α	CARBOMER	Emulsion Stabilizer; Viscosity Increasing Agent	15.00	75.00
5.	А	MAGNESIUM ALUMINUM SILICATE (AND) CELLULOSE GUM	Rheology control agent	1.00	5.00
6.	Α	(PEG-40 STEARATE)	Emulsifier	1.00	5.00
7.	В	CARTHAMUS TINCTORIUS (SAFFLOWER) SEED OIL	Skin Conditioning Agent	8.00	40.00
8.	В	ALEURITES MOLUCCANA SEED OIL	Skin Conditioning Agent	2.00	10.00
9.	В	GLYCERYL STEARATE (AND) PEG- 100 STEARATE	Emulsifying System	1.50	7.50
10.	В	CYCLOMETHICONE	Hair/Skin Conditioning Agent- Emollient; Solvent	0.75	3.75
11.	В	ZENIBEE CREAM * Octyl Dodecanol, Beeswax	Skin Conditioner film former for Skin protection	2.00	10.00
12.	С	TRIETHANOLAMINE	Ph Adjuster	0.25	1.25
13.	D	TOCOPHERYL ACETATE	Antioxidant; Skin Conditioning Agent	0.25	1.25
14.	E	PROPYLENE GLYCOL (AND) DIAZOLIDINYL UREA (AND) METHYLPARABEN (AND) PROPYLPARABEN	Preservative System	1.00	5.00
				1.00	5.00

Manufacturing instructions: Combine Phase A to 75C. Combine Phase B at 75C. Add Phase B to Phase A. Add Phase C. Cool to 40C. and add Phase D & E.

Formula courtesy of



500.00

100.00

The above information is believed to be accurate and is offered in good faith and for the benefit of the customer. Zenitech, however, cannot assume any liability or risk involved in the use of its products since conditions are beyond our control. Statements concerning the possible use of our products are not intended as recommendations in the infringement of any patent. These products are for commercial use only