

Moisturizing & Long Wearing CC Cream

Phase	Ingredient	INCI Name	% by Weight
A	SiBrid® TM-081	Caprylyl Methicone	5.00
A	Vertasil® TM-VE1	Tocopheryloxypropyltrisiloxane	0.75
A	SiBrid® TM-031	Propyl Trisiloxane	5.00
A	SiBrid® DE-12	Polydiethylsiloxane	6.00
A	Polyglyceryl Oleate	Polyglyceryl Oleate	1.00
A	Glycol Distearate	Glycol Distearate	qs
A	Magnesium Stearate	Magnesium Stearate	0.75
A	Jeensilc EM 90	Cetyl Peg/ppg-10/1 Dimethicone	2.30
A	Ethylhexyl Palmitate	Ethylhexyl Palmitate	5.00
A	White Iron Oxide-SR	Titanium Dioxide & Trimethylsiloxysilicate	6.30
A	Red Iron Oxide SR	Iron Oxides/Trimethylsiloxysilicate	0.35
A	Yellow Iron Oxide SR	Iron Oxides/Trimethylsiloxysilicate	1.25
A	Black Iron Oxide SR	Iron Oxides/Trimethylsiloxysilicate	0.25
A	Ultramarine Blue SR	Ultramarines/Trimethylsiloxysilicate	0.05
A	Sodium Chloride	Sodium Chloride	1.00
B	DI Water	Aqua	QS
B	Propylene Glycol	Propylene Glycol	5.00
B	Sodium Chloride	Sodium Chloride	1.00
B	Purslane Extract	Aqua/Butylene Glycol/Portulaca Oleracea L. Extract	qs
B	Delicate Petals	Fragrance (Parfum)	qs
B	Preservative		qs

Procedure:

Combine Phase A ingredients and heat to 75°C.
 Combine Phase B ingredients and mix well until incorporated.
 Using homogenizer, slowly add Phase B into Phase A and mix until emulsified.
 Sweep while cooling batch.
 Finish with fragrance and preservative.

Formula Courtesy of 
 Silicon Innovations for Cosmetics

The information above is provided in good faith, is believed to be accurate but without warranty, implied or expressed. All formulations are provided as a starting point for lab scale projects only and results may vary due to procedure, raw material, and equipment variations. Reproducibility and scale-up must be carried out and confirmed by the customer. Gelest, Inc. makes no warranty, expressed or implied that the suggested use infringes on any patent. Preservative recommendations are not provided.